



**4Net Networking Corp.**  
Computer Network Products

**4Net Networking Corporation**  
2900 NW 72<sup>nd</sup> Avenue - Miami - FL 33122  
Tel: (305) 599-0086 – Fax: (305) 599-1125  
[www.4netonline.com](http://www.4netonline.com) - [info@4netonline.com](mailto:info@4netonline.com)



## Standalone Panel Antenna 2.4-2.5GHz 19dBi



- ◆ Patented, high gain, low cost design
- ◆ Low profile, rugged design for outdoor use
- ◆ US Engineered
- ◆ Manufactured under strict US quality control procedures
- ◆ Articulating wall/pole bracket (BRA-A-1699-02) included
- ◆ Custom designs available


Mechanical and Environmental Specifications	
Length x Width x Depth	15.4in x 15.4in x 1.7in (39.1cm x 39.1cm x 4.3cm)
Weight	2.2 lb (1 kg)
Backplane	Aluminum
Radome	UV stabilized ABS plastic
Wind Survivability	125mph (201kph)
Wind Load	1.90ft <sup>2</sup> (0.18m <sup>2</sup> )
Operating Temperature Range	-49°F to +149°F (-45°C to +65°C)
Pole Mount Diameter Range	0.75in to 2.0in (1.9cm to 5.1cm)

Ordering Information	
<u>Part #</u>	<u>Description</u>
ARC-PA2419B01	2.4GHz 19dBi Standalone Panel, Type N Jack


Shipping Information	
<u>Sizes and Weights</u>	<u>Description</u>
22in x 19in x 19in (55.9cm x 48.3cm x 48.3cm)	Packaging includes 10 units in a single over pack box w/ 10 brackets
40lb (18.14kg)	

Electrical Specifications	
Frequency Range	2.4-2.5GHz
Gain	19dBi
3dB Beamwidth Vertical/Horizontal	18deg/18deg
Polarization	Single linear, horizontal or vertical
VSWR	≤1.5:1 typ., ≤1.7:1 max.
Front-to-Back Ratio	>30 dB
Cross Polarization	>30 dB
Power Rating	30 watts
Impedance	50 ohms
Lightning Protection	DC ground
Connector Type	N Jack

RF Patterns  
Vertical Cut, typ.



RF Patterns  
Horizontal Cut, typ.



Specifications subject to change without notice

Don't see what you need? Contact us to discuss alternate configurations

REV: 011209